Quick Start

MVC S90-C5U for Microsoft Teams Rooms System

1 Minimum Requirements

- A display connected to MCore 4 (not included).
- A Microsoft Teams Rooms account (not included).
- Wired network environment (not included).

2 Package Contents



MCore 4 Package



MTouch Plus Package



VCH51 Pro Package

AVHub Package



UVC86 Package



RoomSensor Package

3 Installation

- MCore 4 supports mounting on the wall, mounting on the TV, or putting on a table.
- MTouch Plus supports putting on a table, pasting on a table, fixing on a table, or mounting on the wall.
- AVHub supports mounting on the wall, sticking under the table, putting on the desk, or mounting on the rack.
- UVC86 supports putting on a flat surface, mounting on top of a display, mounting on the wall, mounting on the ceiling, or mounting on the TV mount.
- RoomSensor supports mounting on the ceiling or mounting on the wall.

4 Connection



- When starting up the system for the first time, you need to connect a mouse to complete the initial configuration. We recommend using the wireless mouse and keyboard kit.
- Not included accessories requirements:
  - » Display: Resolution of 1080p or higher and with an HDMI port.
  - » PC: Equipped with HDMI or USB-C (support DP protocol) Port.
  - » PoE switch: If you use PoE to connect speakers or cameras, you need to use PoE+.
  - » Ethernet cable: CAT5e or higher ethernet cable.

5 Initial Setup

1. Press the power button on the left side of the MCore 4 to start it up. The Microsoft Windows 11 IoT Enterprise operating system will automatically load. After the system initializes, you can use the MTouch Plus to log in and complete the system setup. The device will automatically launch the Microsoft Teams Meeting System app and enter the setup page.
2. Follow the on-screen prompts to select the desired language, country or region, and keyboard layout, then click **Get started**.
3. Read the End User Agreement and click **Accept**.
4. Enter the one-time password you created in the Teams Meeting Rooms Pro Admin Portal and click **Continue**. Alternatively, click **Manual Setup** in the lower-right corner, enter your account and password, and click **Finish**.

6 Features

Wireless Sharing

1. Connect the WPP30 to the USB port of the MTouch Plus. When pairing, the LED indicator of WPP30 is orange. When the pairing is successful, the LED indicator turns green breathing light.
2. Connect the paired WPP30 to the USB-A/USB-C port on your PC.
3. On the WPP30, press the presentation button to share the full screen.

Pair with a RoomSensor

1. Switch the account from Microsoft Teams to Admin.
2. Open Yealink RoomConnect.
3. Tap **MTouch Plus** > **Sensor**.
4. Select **Add device** and follow the on-screen instructions to pair.

- An MTouch Plus can be paired with only one RoomSensor.
- The distance between the MTouch Plus and RoomSensor must be within 20m.

HDMI™ HDMI,the HDMI logo,and High-Definition Multimedia Interfoce are trademarks or registered trodemarks of HDMI Licensing LLC.

Please refer to the Quick Start Guide for each product for detailed Regulatory Notices.

430104003551

YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.
Web: www.yealink.com
Copyright©2026 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.All rights reserved.